



 PRODUCT-DETAILS

AUX-C 1Q+1SY 250 Va.c./d.c. A1-A2 3p-4p

AUX-C 1Q+1SY 250 Va.c./d.c. A1-A2 3p-4p

General Information

| | |
|-----------------------|---|
| Extended Product Type | AUX-C 1Q+1SY 250 Va.c./d.c. A1-A2 3p-4p |
| Product ID | 1SDA066149R1 |
| EAN | 8015644000516 |
| Catalog Description | AUX-C 1Q+1SY 250 Va.c./d.c. A1-A2 3p-4p |
| Long Description | 1 CHANGEOVER CONTACT OPEN-CLOSED + 1 CHANGEOVER FOR TRIPPED INDICATION V <(><<)> 250V AC-DC WIRED FOR THREE-POLE AND FOUR-POLE A1-A2 |

Material Compliance

| | |
|---|--|
| REACH Declaration | 9AKK108466A1425 |
| RoHS Declaration | 9AKK108466A1424 |
| RoHS Information | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| Toxic Substances Control Act - TSCA | 9AKK108467A8326 |

Environmental

| | |
|---------------------------|-----------------|
| Environmental Information | 9AKK108467A6707 |
|---------------------------|-----------------|

Ordering

| | |
|--------------------------|---------------|
| Order Code US and Canada | KA2AS |
| EAN | 8015644000516 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

Dimensions

| | |
|--------------------|----------|
| Product Net Weight | 0.086 kg |
|--------------------|----------|

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 28.6 mm |
| Package Level 1 Height | 136 mm |
| Package Level 1 Depth / Length | 107 mm |
| Package Level 1 Gross Weight | 0.091 kg |
| Package Level 1 EAN | 8015644000516 |

Additional Information

| | |
|-------------------|-------------------------|
| Product Main Type | Accessories for FORMULA |
| Product Name | Accessory |
| Product Type | ACC |
| Suitable For | A1, A2 |

Technical

| | |
|--|-----------------------|
| Configuration Type | Loose or configurable |
| Number of Auxiliary Contacts CO (SPDT) | 2 |
| Number of Poles | 3P |
| Standards | IEC |

Certificates and Declarations

| | |
|-----------------------------------|---|
| Data Sheet, Technical Information | 9AKK105713A5945 |
| Declaration of Conformity - CE | Refer to the EU Declaration of the relative Circuit Breaker |
| Instructions and Manuals | 1SDC210032D0204 |

External Classifications and Standards

| | |
|----------------------------|--|
| ETIM 9 | EC000041 - Auxiliary contact block |
| ETIM 10 | EC000041 - Auxiliary contact block |
| Object Classification Code | Q |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass | V11.1 : 27371302 |

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA